



Hose Fittings Safety Clamps



Luxe-group

Manufacture






Hose fittings with safety clamps

德式接管与安全管夹
Hose fittings with safety clamps



Process




Material:

- Stainless steel by investment casting
- Brsaa by forging
- Aluminum by forging

Working pressure

25BAR/360PSI



我们正在为做流体技术行业典范而努力。
We are becoming the modle of Fluid Technology.




Hose Assemblies with Safety-Clamps procedure



1




2




3



4



5



Hose fittings with safety clamps





Hose fittings with safety clamps

GI with smooth tail

Standard
Materials

EN14420-5/DIN2817
Brass CW617N Stainless steel AISI 316 / 1.4408



Name	Size	Code	Weight	Price	D	H	Material
GI015	G1/2"	L0397010	0.050				SS
GI020	G3/4"	L0397011	0.070				SS
GI025	G1"	L0397012	0.095				SS
GI032	G1 1/4"	L0397013	0.157				SS
GI040	G1 1/2"	L0397014	0.235				SS
GI050	G2"	L0397015	0.448				SS
GI065	G2 1/2"	L0397016	0.558				SS
GI075	G3"	L0397017	0.912				SS
GI100	G4"	L0397018	1.310				SS
GI015	G1/2"	L0397001	0.056				BR
GI020	G3/4"	L0397002	0.078				BR
GI025	G1"	L0397003	0.106				BR
GI032	G1 1/4"	L0397004	0.174				BR
GI040	G1 1/2"	L0397005	0.261				BR
GI050	G2"	L0397006	0.498				BR
GI065	G2 1/2"	L0397007	0.620				BR
GI075	G3"	L0397008	1.013				BR
GI100	G4"	L0397009	1.456				BR

Hose fittings with safety clamps

GI with serrated tail

Standard
Materials

EN14420-5/DIN2817
Brass CW617N Stainless steel AISI 316 / 1.4408



Name	Size	Code	Weight	Price	D	H	Material
GIS015	G1/2"	L0394010	0.050				SS
GIS020	G3/4"	L0394011	0.070				SS
GIS025	G1"	L0394012	0.095				SS
GIS032	G1 1/4"	L0394013	0.157				SS
GIS040	G1 1/2"	L0394014	0.235				SS
GIS050	G2"	L0394015	0.448				SS
GIS065	G2 1/2"	L0394016	0.558				SS
GIS075	G3"	L0394017	0.912				SS
GIS100	G4"	L0394018	1.310				SS
GIS015	G1/2"	L0394001	0.056				BR
GIS020	G3/4"	L0394002	0.078				BR
GIS025	G1"	L0394003	0.106				BR
GIS032	G1 1/4"	L0394004	0.174				BR
GIS040	G1 1/2"	L0394005	0.261				BR
GIS050	G2"	L0394006	0.498				BR
GIS065	G2 1/2"	L0394007	0.620				BR
GIS075	G3"	L0394008	1.013				BR
GIS100	G4"	L0394009	1.456				BR



我们正在为做流体技术行业典范而努力。
We are becoming the modle of Fluid Technology.



Hose fittings with safety clamps

GA with smooth tail

Standard
Materials

EN14420-5/DIN2817
Brass CW617N Stainless steel AISI 316 / 1.4408 Polypropylene



Name	Size	Code	Weight	Price	D	H	Material
GA015	G1/2"	L0301011	0.078		61	13.4	SS
GA020	G3/4"	L0301012	0.138		62	19.4	SS
GA025	G1"	L0301013	0.170		63	25.4	SS
GA032	G1 1/4"	L0301015	0.265		63.5	32.4	SS
GA040	G1 1/2"	L0301017	0.327		68	38.4	SS
GA050	G2"	L0301020	0.500		75.5	50.4	SS
GA065	G2 1/2"	L0301022	0.858		94.5	63.4	SS
GA075	G3"	L0301024	1.228		98	75.4	SS
GA080	G3"	L0301062	1.150		98	80.4	SS
GA100	G4"	L0301064	2.900		135	100.3	SS
GA015	G1/2"	L0301001	0.056		54	13.4	BR
GA020	G3/4"	L0301002	0.084		62	19.4	BR
GA025	G1"	L0301003	0.119		63	25.4	BR
GA032	G1 1/4"	L0301004	0.178		63.5	32.4	BR
GA040	G1 1/2"	L0301005	0.231		68	38.4	BR
GA050	G2"	L0301006	0.349		75.5	50.4	BR
GA065	G2 1/2"	L0301007	0.599		94.5	63.4	BR
GA075	G3"	L0301008	0.888		99	75.4	BR
GA080	G3"	L0301028	0.941		97.5	80.4	BR
GA100	G4"	L0301009	1.892		135	100.3	BR
GA015	G1/2"	L0301050					PP
GA020	G3/4"	L0301051					PP
GA025	G1"	L0301052					PP
GA032	G1 1/4"	L0301053					PP
GA040	G1 1/2"	L0301056					PP
GA050	G2"	L0301057					PP
GA065	G2 1/2"	L0301058					PP
GA075	G3"	L0301059					PP
GA080	G3"	L0301060					PP

Hose fittings with safety clamps





Hose fittings with safety clamps

Standard
Materials

GA with serrated tail

EN14420-5/DIN2817

Brass CW617N Stainless steel AISI 316 / 1.4408

Name	Size	Code	Weight	Price	D	H	Material
GAS015	G1/2"	L0302053	0.100		61	13.4	SS
GAS020	G3/4"	L0302054	0.153		62	19.4	SS
GAS025	G1"	L0302055	0.198		63	25.4	SS
GAS032	G1 1/4"	L0302056	0.265		63.5	32.4	SS
GAS040	G1 1/2"	L0302057	0.358		66.5	38.4	SS
GAS050	G2"	L0302058	0.500		75.5	50.4	SS
GAS065	G2 1/2"	L0302045	0.858		94.5	63.4	SS
GAS075	G3"	L0302059	1.251		98	75.4	SS
GAS080	G3"	L0302060	1.292		98	80.4	SS
GAS100	G4"	L0303061			63	100.3	SS
GAS015	G1/2"	L0302001	0.056				BR
GAS020	G3/4"	L0302002	0.084				BR
GAS025	G1"	L0302003	0.119				BR
GAS032	G1 1/4"	L0302004	0.178				BR
GAS040	G1 1/2"	L0302005	0.231				BR
GAS050	G2"	L0302006	0.349				BR
GAS065	G2 1/2"	L0302008	0.599				BR
GAS075	G3"	L0302010	0.888				BR
GAS080	G3"	L0302012	0.941				BR
GAS100	G4"	L0302013	1.892				BR



我们正在为做流体技术行业典范而努力。
We are becoming the modle of Fluid Technclogy.




Hose fittings with safety clamps

With bolt and nut

Standard
Materials

EN14420-3/DIN2817
Stainless steel AISI 316 / 1.4408



Size	Bolt specification	Clamping range	Code	Price	D	H	Material
DN13*5	4*M6*20	22-24	L0602001	0.25			SS
DN19*6	4*M6*20	30-33	L0602002	0.31			SS
DN25*6	4*M6*20	36-39	L0602003	0.33			SS
DN25*8	4*M6*20	40-43					SS
DN32*5	4*M6*20	41-44	L0602088	0.37			SS
DN32*6	4*M6*20	43-46	L0602023	0.35			SS
DN32*8/35*6	4*M6*20	47-50					SS
DN38*6.5	4*M6*20	50-52	L0602005	0.38			SS
DN38*8	4*M6*20	53-56					SS
DN38*10	4*M6*20	57-60					SS
DN40*7	4*M6*20	53-56					SS
DN40*10	4*M6*20	58-61					SS
DN45*7	4*M6*20	58-61					SS
DN50*5	4*M8*25	59-62					SS
DN50*6	4*M8*25	62-63					SS
DN50*8	4*M8*25	64-67	L0602006	0.69			SS
DN50*10	4*M8*25	69-71					SS
DN63*6	4*M8*25	74-77					SS
DN63*8/65*7	4*M8*25	78-82	L0602040	1.06			SS
DN65*10	4*M8*25	84-87					SS
DN75*6	4*M8*25	87-90					SS
DN75*7.5	4*M8*25	89-92					SS
DN75*8	4*M8*25	89-93	L0602008	1.20			SS
DN75*10	4*M8*25	94-97					SS
DN80*8	4*M8*25	94-97					SS
DN100*8	4*M10*40	114-119	L0602010	2.90			SS
DN100*10	4*M10*40	118-122					SS
DN125*10	6*M10*40	143-148					SS
DN150*10	6*M12*50	168-174	L0602057				SS
DN150*13	6*M12*50	174-180					SS
DN200*12	8*M12*60	222-229					SS
DN250*13	8*M12*60	274-278					SS

Hose fittings with safety clamps



Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China
http://www.Luxe-group.cn Luxe@Luxe-group.cn Tel:0086-795-7066681 Fax:0086-795-7066682

88



Hose fittings with safety clamps

With bolt and nut

Standard
Materials

EN14420-3/DIN2817
Brass CW617N

DN13*5	4*M6*20	22-24	L0602089	0.27			BR
DN19*6	4*M6*20	30-33	L0602090	0.31			BR
DN25*6	4*M6*20	36-39	L0602091	0.33			BR
DN25*8	4*M6*20	40-43					BR
DN32*5	4*M6*20	41-44					BR
DN32*6	4*M6*20	43-46	L0602092	0.41			BR
DN32*8/35*6	4*M6*20	47-50					BR
DN38*6.5	4*M6*20	50-52	L0602070	0.43			BR
DN38*8	4*M6*20	53-56	L0602071	0.50			BR
DN38*10	4*M6*20	57-60					BR
DN40*7	4*M6*20	53-56					BR
DN40*10	4*M6*20	58-61					BR
DN45*7	4*M6*20	58-61					BR
DN50*5	4*M8*25	59-62					BR
DN50*6	4*M8*25	62-63					BR
DN50*8	4*M8*25	64-67	L0602054	0.90			BR
DN50*10	4*M8*25	69-71					BR
DN63*6	4*M8*25	74-77					BR
DN63*8/65*7	4*M8*25	78-82	L0602093	1.20			BR
DN65*10	4*M8*25	84-87	L0602094	1.31			BR
DN75*6	4*M8*25	87-90					BR
DN75*7.5	4*M8*25	89-92					BR
DN75*8	4*M8*25	89-93	L0602055	1.39			BR
DN75*10	4*M8*25	94-97	L0602095	1.52			BR
DN80*8	4*M8*25	94-97					BR
DN100*8	4*M10*40	114-119	L0602056	1.09			BR
DN100*10	4*M10*40	118-122					BR
DN125*10	6*M10*40	143-148					BR
DN150*10	6*M12*50	168-174					BR
DN150*13	6*M12*50	174-180					BR
DN200*12	8*M12*60	222-229					BR
DN250*13	8*M12*60	274-278					BR



我们正在为做流体技术行业典范而努力。
We are becoming the modle of Fluid Technclogy.



Hose fittings with safety clamps

Safety clamps with PIN

Standard
Materials

EN14420-3/DIN2817
Aluminum 6082+T6

DN13*5	4*M6*20	22-24	L0602012	0.11		AL
DN19*6	4*M6*20	30-33	L0602013	0.13		AL
DN25*6	4*M6*20	36-39	L0602014	0.14		AL
DN25*8	4*M6*20	40-43	L0602037	0.14		AL
DN32*5	4*M6*20	41-44	L0602029	0.15		AL
DN32*6	4*M6*20	43-46	L0602015	0.15		AL
DN32*8/35*6	4*M6*20	47-50	L0602035	0.15		AL
DN38*6.5	4*M6*20	50-52	L0602016	0.16		AL
DN38*8	4*M6*20	53-56	L0602034	0.18		AL
DN38*10	4*M6*20	57-60	L0602033	0.17		AL
DN40*7	4*M6*20	53-56	L0602058	0.18		AL
DN40*10	4*M6*20	58-61	L0602038	0.19		AL
DN45*7	4*M6*20	58-61	L0602059	0.30		AL
DN50*5	4*M8*25	59-62	L0602044	0.27		AL
DN50*6	4*M8*25	62-63	L0602039	0.27		AL
DN50*8	4*M8*25	64-67	L0602017	0.27		AL
DN50*10	4*M8*25	69-71	L0602052	0.33		AL
DN63*6	4*M8*25	74-77	L0602060	0.43		AL
DN63*8/65*7	4*M8*25	78-82	L0602043	0.43		AL
DN65*10	4*M8*25	84-87	L0602032	0.45		AL
DN75*6	4*M8*25	87-90	L0602036	0.49		AL
DN75*7.5	4*M8*25	89-92	L0602061	0.49		AL
DN75*8	4*M8*25	89-93	L0602042	0.49		AL
DN75*10	4*M8*25	94-97	L0602075	0.52		AL
DN80*8	4*M8*25	94-97	L0602062	0.47		AL
DN100*8	4*M10*40	114-119	L0602021	1.09		AL
DN100*10	4*M10*40	118-122	L0602069	1.15		AL
DN125*10	6*M10*40	143-148	L0602019	1.88		AL
DN150*10	6*M12*50	168-174	L0602011	3.78		AL
DN150*13	6*M12*50	174-180	L0602082	3.30		AL
DN200*12	8*M12*60	222-229	L0602053	6.50		AL
DN250*13	8*M12*60	274-278	L0602081	6.65		AL

Hose fittings with safety clamps



Add: G320 New Century Industrial Park, Gao' an, City, Jiangxi, 330800 China
http://www.Luxe-group.cn Luxe@Luxe-group.cn Tel:0086-795-7066681 Fax:0086-795-7066682

90



Hose fittings with safety clamps

Safety clamps with PIN

Standard
Materials

EN14420
Aluminum 6082+T6

Name	Pin Φ -L/mm	Hose OD/mm	Code	Weight	Price	Material
SX25*6AL	5-44	36-38	L0603002	0.14		AL
SX32*6AL	5-44	43-45	L0603003	0.15		AL
SX38*6.5AL	5-49	50-52	L0603004	0.15		AL
SX50*8AL	5-49	63-67	L0603005	0.29		AL
SX63*8AL	5-69	78-81	L0603006	0.43		AL
SX75*8AL	5-69	89-92	L0603007	0.49		AL
SX100*8AL	5-73	115-118	L0603008			AL

